









```
3 require File.expand_path("../support/paths", __FILE__)
4 # Prevent database truncation if the environment is production
5 abort("The Rails environment is running in production mode!")
6 require 'spec_helper'
7 require 'rspec/rails'
8
9 require 'capybara/rspec'
10 require 'capybara/rails'
11
12 Capybara.javascript_driver = :webkit
13 Category.delete_all; Category.create
14 Shoulda::Matchers.configure do |config|
15   config.integrate do |with|
16     with.test_framework :rspec
17     with.library :rails
18   end
19 end
20
21 # Add additional requires below this line. This will be added to the
22 # Requires supporting ruby files with support/paths.rb and its subdirectories.
23 # spec/support/ and its subdirectories. These paths will be added to the
24 # in _spec.rb will both be required when running specs.
25 # run twice. It is recommended that you do not use this method to
26 # require spec.rb. You can configure the require_paths option in
```



ikke kræs i  
ikke fly for langt unna  
beveg deg i den gjennomsnittlige retningen til

dine nærmeste naboer





å tenke lokalt er skalerbart







prioriter lokal fremfor global

ikke prøv å kontrollere alt

bruk kollektiv intelligens

bruk få og enkle regler

kommuniser mye og åpent

samarbeid mer enn du konkurrerer



natur som benchmark









biomimicry

